


UROLOGY



www.mgb-berlin.de

MGB

CONTENT


Cystolux - Telescopes	Page 3
Uretero-Renoscope 5 Fr.	Page 4
Shafts for Cystoscopy 17 Fr./25 Fr.	Page 5
Shafts and Inserts 17 Fr./25 Fr.	Page 6
Instruments (Albarran and Optical Forceps)	Page 7-8
Shafts for Lasercystoscopy	Page 9
Resectoscopy 24 Fr./26 Fr.	Page 10-11
Resectoscopy-Electrodes 24 Fr./26 Fr.	Page 12-13
Resectoscopy 27 Fr./28.5 Fr.-System	Page 14
Resectoscopy 19 Fr./22 Fr.-System	Page 15-16
View-Urethrotom 21 Fr.	Page 17-18
Pediatric Cysto-Urethroscopy	Page 19-20
Pediatric Resectoscopy 13 Fr.	Page 21
Pediatric View-Urethrotom 13 Fr.	Page 22
Accessories	Page 23-24
Cystoscopy 17 Fr./25 Fr.-System	Page 25
Resectoscopy 24 Fr./26 Fr.-System	Page 26
Resectoscopy 19 Fr./22 Fr.-System	Page 27

CYSTOLUX - TELESOPES

Products

Order-No.


Description



412-18500

CYSTOLUX-Telescope 0°


- Ø 4 mm
- Working length: 300 mm
- Connector for Storz/Wolf/ACMI light guide



412-21500

CYSTOLUX-Telescope 12°


- Ø 4 mm
- Working length: 300 mm
- Connector for Storz/Wolf/ACMI light guide



412-19500

CYSTOLUX-Telescope 30°


- Ø 4 mm
- Working length: 300 mm
- Connector for Storz/Wolf/ACMI light guide



412-19600

CYSTOLUX-Telescope 30°, wideangle


- Ø 4 mm
- Working length: 300 mm
- Connector for Storz/Wolf/ACMI light guide



412-20300

CYSTOLUX-Telescope 70°


- Ø 4 mm
- Working length: 300 mm
- Connector for Storz/Wolf/ACMI light guide



412-29000

CYSTOLUX-Telescope 30°


- Ø 2.9 mm
- Working length: 300 mm
- Connector for Storz/Wolf/ACMI light guide



426-28200

CYSTOLUX-Telescope 0°

- Ø 2.7 mm
- Working length: 180 mm
- Connector for Storz/Wolf/ACMI light guide



455-25200

CYSTOLUX-Telescope 70°

- Ø 2.7 mm
- Working length: 180 mm
- Connector for Storz/Wolf/ACMI light guide



Delivery contains:

- Connector for light guide (Storz), Order-No.: 429-00442

- Connector for light guide (Wolf), Order-No.: 429-00445


Not for Resectoscopes!

URETERO-RENSCOPE

Products

Order-No.

Description



412-17000

Uretero-Renoscope

- Working Length: 425 mm
- For transurethral diagnostic and therapy in ureter and renal pelvis
- Compact Fiber-Ureterorenoscope
- Distal end has atraumatic form
- 30.000 pixel
- Placing of one instrument with sufficient irrigation possible
- Working bridge with quick coupler
- Fixfocus
- Integrated fiberoptical illumination
- High depth of field
- High resolution image bundle

- Autoclavable
- Working diameter: distal 7.5 Fr.
- From distal to proximal end conically widening to 12 Fr.
- Working channel for instruments: 1 x 5 Fr. or 2 x 3 Fr.
- Direction of view 8° to working channel

Instrument


- Grasping Forceps, 5 Fr.
- Working length: 600 mm

- Biopsy Forceps, 5 Fr.
- Working length: 600 mm

- Scissors, 5 Fr.
- Working length: 600 mm

- Grasping Forceps, 5 Fr.
- Working length: 600 mm

- Store basket, 4 wire, 5 Fr.
- Working length: 600 mm



412-17110

412-17120

412-17130

412-17140

412-17150

SHAFTS FOR CYSTOSCOPY 17 FR./25 FR.

Product

Order-No.

Description



Cystoscope-Urethroscope Shaft

- Incl. obturator
- With 2 Luer-Lock stopcocks

412-13110
(412-13111 obturator)
412-13120
(412-13121 obturator)
412-13130
(412-13131 obturator)
412-13140
(412-13141 obturator)
412-13150
(412-13151 obturator)

	Diameter Working Channel	
■ 17 Fr. (Code yellow), incl. obturator	1 x 5 Fr.	—
■ 19 Fr. (Code green), incl. obturator	1 x 6 Fr.	2 x 5 Fr.
■ 21 Fr. (Code red), incl. obturator	1 x 7 Fr.	2 x 5 Fr.
■ 23 Fr. (Code blue), incl. obturator	1 x 9 Fr.	2 x 7 Fr.
■ 25 Fr. (Code white), incl. obturator	1 x 10 Fr.	2 x 8 Fr.



Cystoscope-Urethroscope Shaft with Central Valve

- Incl. obturator
- Central valve controls
in- and out-flow
- Separate connection

412-13112
(412-13111 obturator)
412-13122
(412-13121 obturator)
412-13132
(412-13131 obturator)
412-13142
(412-13141 obturator)
412-13152
(412-13151 obturator)

	Diameter Working Channel	
■ 17 Fr. (Code yellow), incl. obturator	1 x 5 Fr.	—
■ 19 Fr. (Code green), incl. obturator	1 x 6 Fr.	2 x 5 Fr.
■ 21 Fr. (Code red), incl. obturator	1 x 7 Fr.	2 x 5 Fr.
■ 23 Fr. (Code blue), incl. obturator	1 x 9 Fr.	2 x 7 Fr.
■ 25 Fr. (Code white), incl. obturator	1 x 10 Fr.	2 x 8 Fr.

SHAFTS AND INSERTS 17 FR./25 FR.

Products

Order-No.

Description


For Ø 4.0 mm Telescopes.



View-Obturator for Cystoscope-Urethroscope Shafts

412-13114
412-13124
412-13134
412-13144
412-13154

■ 17 Fr.
■ 19 Fr.
■ 21 Fr.
■ 23 Fr.
■ 25 Fr.




412-15100

Examination Insert

■ For use with „Cystoscopy-Shafts 17 Fr./25 Fr.“

For Ø 4.0 mm Telescopes.




412-15110

Examination Insert with 1 Working Channel

■ Diameter fitting through working channel
■ For use with „Cystoscopy-Shafts 17 Fr./25 Fr.“

For Ø 4.0 mm Telescopes.



412-15120

Examination Insert with 2 Working Channels

■ Diameter fitting through working channel
■ For use with „Cystoscopy-Shafts 17 Fr./25 Fr.“

For Ø 4.0 mm Telescopes.



412-48145

Adapter Feminin Urether

INSTRUMENTS

Products

Order-No.

Description

For Ø 4.0 mm Telescopes.



412-16110

Operating Insert with Albarran

■ 1 Working Channel

For Ø 4.0 mm Telescopes.

412-16120

Operating Insert with Albarran

■ 2 Working Channels

Diameter of Working Channel see page 5.



Optical Forceps

For Ø 4.0 mm Telescopes.

■ **Biopsy Forceps for 19 Fr. - 25 Fr. Shafts,**
for 0°-/12°-/30°-telescopes

■ **Grasping Forceps for 19 Fr. - 25 Fr. Shafts,**
for 0°-/12°-/30°-telescopes

■ **Biopsy Forceps for 19 Fr. - 25 Fr. Shafts,**
for 0°-/12°-/30°-telescopes,
through-cutting

■ **Biopsy Forceps, 19 Fr. - 25 Fr. Shafts,**
for 70°-telescope,
short jaw

■ **Optical Hook Scissors, 19 Fr. - 25 Fr. Shafts,**
for 0°-/12°-/30°-telescopes

412-48100

412-48110

412-48120

412-48130

412-48160




INSTRUMENTS

Products

Order-No.


Description



412-48150

Stone Crushing Forceps use with 25 Fr.-Shafts

■ For 12°-/30°-telescope



a 412-48710 (7 Fr.)
412-48715 (5 Fr.)

Flexible Grasping Forceps

■ Working length: 400 mm

b 412-48720 (7 Fr.)
412-48725 (5 Fr.)


Flexible Biopsy Forceps

■ Working length: 400 mm

c 412-48730 (7 Fr.)
412-48735 (5 Fr.)

Flexible Scissors

■ Working length: 400 mm



426-80013 (3 Fr.)
426-80014 (4 Fr.)
426-80010 (5 Fr.)

HF-Button Electrode

■ Flexible
■ Working length: 530 mm

426-80020 (5 Fr.)

HF-Loop Electrode

■ Flexible
■ Working length: 530 mm

426-80033 (3 Fr.)
426-80034 (4 Fr.)
426-80030 (5 Fr.)

HF-Needle Electrode


■ Flexible
■ Working length: 530 mm

SHAFTS FOR LASER-CYSTOSCOPY 23 FR.

Products

Order-No.

Description




412-13200

Laser-Cystoscopy-Shaft

- Continuous flow
- Channel: 8 Fr.
- Diameter: 23 Fr.


For Ø 4.0 mm Telescopes.



412-13210

Obturator

- For Order-No.: 412-13200



412-13220

View-Obturator

- For Order-No.: 412-13200

For Ø 4.0 mm Telescopes.

RESECTOSCOPY 24 FR./26 FR.

Products

Order-No.


Description



415-14105

Working Element ACTIVE

- Cutting ACTIVELY by manual force
- The thumb support is stationary



415-14155

Working Element ACTIVE


- Cutting ACTIVELY by manual force
- The thumb support is stationary
- Closed ring handle



415-14205

Working Element PASSIVE


- Cutting PASSIVELY by spring mechanism
- The thumb support is moveable
- Used also in Urethrotom



415-12105

Standard Resectoscope-Shaft, 24 Fr.

- 1 stopcock
- Ceramic insulation



a 415-12205

a Continuous Flow-Shaft, 26 Fr.

- 2 stopcocks
- Inside tube with ceramic insulation
- Incl. obturator

b 415-12155

b Continuous Flow-Shaft, 26 Fr.


- 2 stopcocks
- With rotating inside tube
- Inside tube with ceramic insulation
- Incl. obturator

RESECTOSCOPY 24 FR./26 FR.

Products

Order-No.

Description



415-12255

Continuous Flow-Shaft, 26 Fr.

- 2 stopcocks
- Inside tube with ceramic
- Incl. obturator
- Perforation up and down



415-12300

Obturator for 24 Fr./26 Fr. Shafts


- For standard Resectoscope-shaft
- For continuous flow-shaft



415-12700


View Obturator

- For standard Resectoscope-shaft
- For continuous flow-shaft



415-12350

Deflecting Obturator for 24 Fr./26 Fr. Shafts



415-12750

View Obturator with Channel for 24 Fr./26 Fr. Shafts

- Channel 5 Fr.



412-48140


Adapter for Use of Optical Forceps in Resectoscope-Shaft

RESECTOSCOPY-ELECTRODES 24 FR./26 FR.

Products

Order-No.

Description




415-15100

Loop Electrode 12°
for 24 Fr./26 Fr.

415-15200


Loop Electrode 30°
for 24 Fr./26 Fr.



415-15150

Loop Electrode
for 24 Fr./26 Fr.

■ Straight



415-15300

Ball Electrode

■ Coagulation electrode
■ Ø 3 mm



415-15350

Ball Electrode


■ Coagulation electrode
■ Ø 5 mm



415-15400

Roll Electrode


■ Cylindrical
■ Ø 3 mm



415-15450

Roll Electrode

■ Cylindrical
■ Ø 5 mm



415-15800

Coagulation Electrode

■ Tip

RESECTOSCOPY-ELECTRODES 24 FR./26 FR.

Products

Order-No.

Description



415-15850


Cone Electrode



415-15500

Spike Electrode


■ Ø 3 mm



415-15600

Spike Electrode

■ Ø 5 mm



415-15700

Vaporisation Electrode

■ Ø 3 mm

415-15750

■ Ø 5 mm



415-15900

30°-Band Electrode, 24 Fr./26 Fr.



415-15950


0°-Band Electrode, 24 Fr./26 Fr.

RESECTOSCOPY 27 FR./28.5 FR.-SYSTEM

Products

Order-No.

Description




415-13100

**Standard 27 Fr.-
Resectoscope-Shaft**

- 1 stopcock
- Ceramic isolation

For Working Elements on page 10.



a 415-13200


a **Continuous Flow-Shaft, 28.5 Fr.**

- 2 stopcocks
- Inside tube with ceramic isolation

b 415-13150

b **Continuous Flow-Shaft, 28.5 Fr.**

- 2 stopcocks
- With rotating inside tube
- Inside tube with ceramic isolation



a 415-13300

a **Obturator for 27 Fr./28.5 Fr.**


- For Standard Resectoscope-shaft
- For continuous flow-shaft

b 415-13750

b **View Obturator with
Channel for 27 Fr./28.5 Fr.**

- Channel 5 Fr.

For Ø 4.0 mm Telescopes.



a 415-13700


a **View Obturator, 27 Fr./28.5 Fr.**

- For Standard Resectoscope-shaft

b 415-13350

b **Deflecting Obturator,
27 Fr./28.5 Fr.**

For Ø 4.0 mm Telescopes.



a 415-17100

a **Loop Electrode 0°,
27 Fr./28.5 Fr.**

b 415-17200

b **Loop Electrode 30°,
27 Fr./28.5 Fr.**

c 415-17150

c **Loop Electrode round,
27 Fr./28 Fr.**


- Straight

RESECTOSCOPY 19 FR./22 FR.-SYSTEM

Products

Order-No.

Description




415-34100

**Working Element ACTIVE,
19 Fr./22 Fr.**

- Cutting ACTIVELY by operation
- The thumb support is stationary

For Ø 2.9 mm Telescopes.




415-34200

Working Element PASSIVE

- Cutting PASSIVELY by spring mechanism
- The thumb support is moveable


For Ø 2.9 mm Telescopes.



415-32100

Standard Resectoscope-Shaft, 19 Fr.


- 1 stopcock
- Ceramic isolation



415-32200

Continuous Flow-Shaft, 22 Fr.

- 2 stopcocks
- Inside tube with ceramic isolation



415-32150

Continuous Flow-Shaft, 22 Fr.

- 2 stopcocks
- With rotating inside tube
- Inside tube with ceramic isolation

RESECTOSCOPY 19 FR./22 FR.-SYSTEM

Product

Order-No.


Description



415-32300

Obturator, 19 Fr./22 Fr.

- For standard Resectoscope-shaft 19 Fr.
- For continuous flow-shaft 22 Fr.




415-32700

View Obturator, 19 Fr./22 Fr.

- For standard Resectoscope-shaft 19 Fr.
- For continuous flow-shaft 22 Fr.


For Ø 2.9 mm Telescopes.



415-35200

Loop Electrode 30°, 19 Fr./22 Fr.


- For Resectoscope 19 Fr./22 Fr.



415-35150

Loop Electrode, 19 Fr./22 Fr.


- Straight
- For Resectoscope 19 Fr./22 Fr.



415-35300

Ball Electrode, 19 Fr./22 Fr.

- Coagulation electrode
- Ø 2 mm



415-35800

Coagulation Electrode, 19 Fr./22 Fr.


- Tip
- For resectoscope 19 Fr./22 Fr.

VIEW-URETHROTOM 21 FR.

Products

Order-No.


Description



415-12400

Urethrotom-Shaft, 21 Fr.

- 2 Luer-Lock stopcocks
- 1 guide wire port Ø 5 Fr.
- With graduation
- Oval tube




415-12800

Examination Insert

- With 5 Fr. working channel

For Ø 4.0 mm Telescopes.



415-14205

Working Element PASSIVE

- Cutting PASSIVELY by spring mechanism
- The thumb support is moveable
- Used also in Resectoscope

For Ø 4.0 mm Telescopes.



415-12450

Supplementary Shaft for Urethrotom-Shaft 21 Fr.

- Sidely open
- Fits to Urethrotom-shaft 21 Fr.



415-12470


Continuous Flow-Shaft for Urethrotom-Shaft 21 Fr.

VIEW - URETHROTOM 21 FR.

Products

Order-No.

Description



415-12500

Obturator for Urethrotom-Shaft, 21 Fr. (415-12400)



415-16100

Stricture Knife

■ Straight knife



415-16300

Stricture Knife

■ Serrated knife



415-16200

Stricture Knife


■ Semicircle knife



415-16400

Stricture Knife

■ J-hook knife



412-11500

Set OTIS-Urethrotom complete


Consisting of:

- Urethrotom
- Knives
- Conical tip
- Flat tip
- Ball tip
- Wooden case

412-11510

Blades 2x


PEDIATRIC CYSTO-URETHROSCOPY 13 FR.



Products

Order-No.

Description




412-03113

Examination Insert

412-03115

Telescope 0°

- Ø 2.7 mm
- Working length: 180 mm



412-03100

Examination Insert

412-28200

Telescope 0°

- Ø 2.7 mm
- Working length: 180 mm



a

a 412-48810

a *Foreign Grasping Forceps*

- Flexible
- For 3 Fr. instruments
- Working length: 280 mm




b

b 412-48820

b *Biopsy Forceps*

- Flexible
- For 3 Fr. instruments
- Working length: 280 mm



412-03120


Albarran, 13 Fr.

For Ø 2.7 mm Telescopes.

For Ø 2.7 mm Telescopes.

PEDIATRIC CYSTO-URETHROSCOPY


11 FR./9.5 FR.



Products

Order-No.

Description




412-03130

*Pediatric Cystoscopy-Shaft,
11 Fr.*

■ Incl. obturator

For Ø 2.0 mm Telescopes.




412-03140

*Pediatric Cystoscopy-Shaft,
9.5 Fr.*

■ Incl. obturator


For Ø 2.0 mm Telescopes.



412-03150

Telescope 0°

■ Ø 2.0 mm
■ Working length: 180 mm
■ Fibre telescope



412-03160

Telescope 30°


■ Ø 2.0 mm
■ Working length: 180 mm
■ Fibre telescope

412-03100

Examination Insert

■ Fibre telescope


PEDIATRIC RESECTOSCOPY 13 FR.



Products

Order-No.

Description



a 412-04200


a Working Element PASSIVE,
13 Fr.

For Ø 2.7 mm Telescopes.

412-28200

Telescope 0°

- Ø 2.7 mm
- Working length: 180 mm




a 412-02100

a Pediatric Resectoscope-Shaft,
13 Fr.

- Incl. obturator

412-02105


Obturator for Standard
Resectoscope-Shaft
(412-02100)



412-05100

Loop Electrode Size 1


- For 13 Fr.



412-05200

Loop Electrode Size 2


- For 13 Fr.



412-05300

Ball Electrode

- For 13 Fr.




412-05800

Knife Electrode

- For 13 Fr.


PEDIATRIC VIEW - URETHROTOM 13 FR.



Products

Order-No.

Description




a 412-04200

a Working Element PASSIVE,
13 Fr.

412-28200

Telescope 0°

- Ø 2.7 mm
- Working length: 180 mm




a 412-02400

a Urethrotom-Shaft, 13 Fr.

- Incl. obturator

412-02500


Obturator for Urethrotom-Shaft
(412-02400)



412-06100

Stricture Knife


- Straight



412-06200

Stricture Knife


- Semicircle



412-06400

Stricture Knife

- J-hook



412-06500

Stricture Knife

- Sickle-like

ACCESSORIES

Products

Order-No.


Description



415-12650

Irrigation Connector


- Without shaft-bar



415-12600

Irrigation Connector

- With shaft-bar



455-90005
(2 pcs.)


Tube Connector

- Luer-Lock male
- Tube connector:
Ø 6 mm (2 pieces)



412-90001
(10 pcs.)

Sealing Cap for Working Channel



a 670-91332

a *HF-Connection Cable*

- 3 m
- To MGB-, Martin-, Berchtold-units

670-91336

- To Erbe-units

670-91337

- To Valleylab-units



415-12670

ELLIK Evacuator




a

a 415-12680

a *Record Syringe*

- With connection to shaft
- 150 ml



c

b 415-12685

b *Spare Barrel*

c 415-15000


c *Container for Resectoscope-Electrodes*

ACCESSORIES

Products

Order-No.

Description




412-91008	8 Fr.
412-91010	10 Fr.
412-91012	12 Fr.
412-91014	14 Fr.
412-91016	16 Fr.
412-91018	18 Fr.
412-91020	20 Fr.
412-91022	22 Fr.
412-91024	24 Fr.
412-91026	26 Fr.
412-91028	28 Fr.
412-91030	30 Fr.
412-91032	32 Fr.
412-91034	34 Fr.
412-91036	36 Fr.

Van Buren
Urethral Dilatation Bougies




412-91060

Strauss Meatus Clamp



412-91061

Stockmann Meatus Clamp



a 415-91050

a *Guyon Catheter Introduction Instrument*


■ Catheter straight, 39 cm

b 415-91051


b *Guyon Catheter Introduction Instrument*

■ Catheter curved, 35 cm

CYSTOSCOPY 17. FR./25 FR. - SYSTEM




- **Cystoscope-Urethroscope-Shaft,**
17 Fr./25 Fr., 2 stopcocks
- **Order-No.: see page 5**




- **Cystoscope-Urethroscope-Shaft,**
17 Fr./25 Fr., with central valve
- **Order-No.: see page 5**

- **HF-Electrode "Accessories"**
- **Order-No.: see page 23**

*Diameter Fitting Through Working
Channel (page 5).*




- **View Obturator for Cystoscope-**
Urethroscope-Shafts, 17 Fr./25 Fr.
- **Order-No.: see page 6**




- **Examination Insert**
- **Order-No.: 412-15100**



- **Examination Insert, 1 working channel**
- **Order-No.: 412-15110**



- **Examination Insert, 2 working channels**
- **Order-No.: 412-15120**




- **Operation Insert with Albarran,**
1 working channel
- **Order-No.: 412-16110**

- **Operation Insert with Albarran,**
2 working channels
- **Order-No.: 412-16120**


- **Optical Forceps 19 Fr./25 Fr.**
- **Order-No.: see page 7**



- **Stone Crushing Forceps use with**
25 Fr.-Shaft
- **Order-No.: 412-48150**




- **Telescope 12°, Ø 4 mm**
- **Order-No.: 412-21500**




- **Telescope 70°, Ø 4 mm**
- **Order-No.: 412-20500**

- **Instruments**
- **Order-No.: see page 8**


RESECTOSCOPY 24 FR./26 FR. - SYSTEM




■ Standard Resectoscope-Shaft, 24 Fr.
■ Order-No.: 415-12105



■ Continuous Flow-Shaft, 26 Fr.
■ Order-No.: 415-12205



■ Continuous Flow-Shaft, 26 Fr.
■ Order-No.: 415-12155



■ Continuous Flow-Shaft, 26 Fr.
■ Order-No.: 415-12255



■ Deflecting Obturator
for 24 Fr./26 Fr. Shafts
■ Order-No.: 415-12350




■ Obturator for 24 Fr./26 Fr. Shafts
■ Order-No.: 415-12300



■ View Obturator with Channel
■ Order-No.: 415-12750




■ View Obturator
■ Order-No.: 415-12700




■ Working Element ACTIVE
■ Order-No.: 415-14155



■ Working Element PASSIVE
■ Order-No.: 415-14205



■ Working Element ACTIVE
■ Order-No.: 415-14105



■ HF-Electrode "Accessories"
■ Order-No.: see page 23



■ Adapter for Optical Forceps
■ Order-No.: 412-48140




■ Irrigation Connector
■ Order-No.: 415-12650




■ Irrigation Connector
■ Order-No.: 415-12600


HF-Generator



■ HF-Connection Cable for
MGB-Resectoscope
■ Order-No.: see page 23



■ Telescope 12°, Ø 4 mm
■ Order-No.: 412-21500



■ Telescope 30°, Ø 4 mm
■ Order-No.: 412-19500

■ Optical Forceps, 19 Fr.- 25 Fr.
■ Order-No.: see page 7


RESECTOSCOPY 19 FR./22 FR. - SYSTEM



■ Standard Resectoscope-Shaft, 19 Fr.
■ Order-No.: 415-32100



■ Continuous Flow-Shaft, 22 Fr.
■ Order-No.: 415-32200



■ Continuous Flow-Shaft, 22 Fr.
■ Order-No.: 415-32150



■ Obturator 19 Fr./22 Fr.
■ Order-No.: 415-32300




■ View Obturator, 19 Fr./22 Fr.
■ Order-No.: 415-32700




■ Irrigation Connector
■ Order-No.: 415-12650



■ Irrigation Connector
■ Order-No.: 415-12600




■ Working Element ACTIVE
■ Order-No.: 415-34100




■ Working Element PASSIVE
■ Order-No.: 415-34200



■ Loop Electrode 30°
■ Order-No.: 415-35200




■ Loop Electrode 30°, straight
■ Order-No.: 415-35150




■ Ball Electrode, Ø 2 mm
■ Order-No.: 415-35300



■ Coagulation Electrode
■ Order-No.: 415-35800



■ Telescope 30°/Ø 2.9 mm
■ Order-No.: 412-29000



■ HF-Connection Cable for MGB-Resectoscope
■ Order-No.: see page 23



HF-Generator

MGB BERLIN

PERFECTION BY PRECISION

General Surgery – Laparoscopy

Urology – Cystoscopy – Ureterorenoscopy – Nephroscopy – Resectoscopy

Gynecology – Hysteroscopy – Resectoscopy

Arthroscopy – Shaver System

Electronic Devices for all Applications

- | | |
|--------------------|--|
| ■ Video-Cameras | ■ Monitors |
| ■ Light-Sources | ■ MediaWorkStation Video-Documentation |
| ■ Gas-Insufflators | ■ Shaver |
| ■ Pumps | ■ Electrosurgical Units |

MGB

MGB Endoskopische Geräte GmbH Berlin
Schwarzschildstrasse 6 · 12489 Berlin, Germany
Phone: +49-30-63 92 -70 10
Fax: +49-30-63 92 -70 11
E-mail: sales@mgb-berlin.de
Internet: www.mgb-berlin.de



Delrus Europe Kft.

Allee Corner Business Center
Corner Tower, 4th floor
Hungary, 1117 Budapest, Október 23. utca 8-10.
Tel.: +36 1 882-3579,
Fax: +36 1 882-3501
E-mail: delrus.e@delruseurope.com
Web: www.delruseurope.com